

Acoustics, Speech, Signal Processing, Montreal, QC, Canada, vol. 3, pp. 921–924, May 2004.

- [9] L. Cong and W. Zhuang, “Hybrid TDOA/AOA mobile user location for wideband CDMA cellular systems,” *IEEE Trans. Wireless Commun.*, vol. 1, no. 3, pp. 439–447, Jul. 2002.
- [10] J. J. Caffery, Jr. and G. L. Stuber, “Overview of radiolocation in CDMA cellular systems,” *IEEE Commun. Mag.*, vol. 36, no. 4, pp. 38–45, Apr. 1998.
- [11] C. Mensing, S. Plass, and A. Dammann, “Synchronization algorithms for positioning with OFDM communications signals,” in *Proc. 4th Workshop Positioning, Navigation, Communication*, pp. 205–210, Mar. 2007.
- [12] H. Reddy, M. G. Chandra, P. Balamuralidhar, S. G. Harihar, K. Bhattacharya, and E. Joseph, “An improved time-of-arrival estimation for WLAN-based local positioning,” in *Proc. 2nd Int. Conf. Comm. Systems Software Middleware*, Bangalore, India, Jan. 2007.
- [13] O. Bar-Shalom and A. J. Weiss, “Direct position determination of OFDM signals,” presented at the IEEE 8th Workshop Signal Processing Advances in Wireless Comm., Helsinki, Finland, Jun. 2007.
- [14] J. S. Velotta, “Navigation using orthogonal frequency division multiplexed signals of opportunity” Master’s thesis, Air Force Institute of Technology, Wright-Patterson AFB, OH, Sep. 2007.
- [15] K. A. Fisher, “The navigation potential of signals of opportunity-based time difference of arrival measurements” Ph.D. dissertation, Air Force Inst of Technology, Wright-Patterson AFB, OH, Mar. 2005 [Online]. Available: <http://handle.dtic.mil/100.2/ADA442340>