









- [2] I. Stoica, T.S.E Ng, and H. Zhang, "REUTINE: A Recursive Unicast Approach to Multicast," proc. IEEE INFOCOM '00, pp. 1644-1653, 2000.
- [3] S. Deering et al., "The PIM Architecture for wide-Area Multicast Routing," IEEE/ACM Trans. Networking, vol.4, pp.153-162, Apr. 1996.
- [4] S.A. Al-Talib, B.M. Ali and S. Khatun "An Approach to Improve the State Scalability of Source Specific Multicast".
- [5] T. Wong, R.Katz, and S. McCanne, "An Evaluation Of preference Clustering in Large -Scale Multicast Applications," proc. IEEE INFOCOM '00, pp. 451-460.2000.
- [6] D.-N. Yang, "Scalability in Xcast-Based Multicast," PhD dissertation, Nat'l Taiwan Univ., 2004.
- [7] H. Tangmunarunkit, R. Govindan, and J. Jamin, "Network Topology Generators: Degree-Based vs. Structurel," Proc. ACM SIGCOMM '02, pp. 147-159, 2002.
- [8] R. Chalmers and K. Almeroth, "On the Topology of Multicast Trees," IEEE/ACM Trans. Networking, vol. 11, no. 1, pp. 153-165, Feb. 2003.
- [9] A. Boudani and B. Cousin, "Simple Explicit Multicast (SEM)," IETF Internet Draft, work in progress, June 2003.
- [10] A. Boudani, B. Cousin, and J. Bonnin, "An Effective Solution for Multicast Scalability: The MPLS Multicast Tree (MMT)," IETF Internet Draft, work in progress, June 2003.
- [11] V. Visoottiviseth, H. Kido, and Y. Takahashi, "Sender Initiated Multicast (SIM)," IETF Internet Draft, work in progress, Mar. 2003.
- [12] P.I. Radoslavov, E. Estrin, and R. Govindan, "Exploiting the Bandwidth-Memory Tradeoff in Multicast State Aggregation," technical report, Dept. of Computer Science, Univ. of Southern California, pp. 99-697, 1999.