ISSN:2249-5789
Sasi Rekha Sanivarapu et al, International Journal of Computer Science & Communication Networks,Vol 2(3), 328-333

REFERENCES:

[1]. Aleksandra Piˇzurica, Wilfried Philips, Ignace Lemahieu, and Marc Acheroy, 'A Versatile Wavelet Domain Noise Filtration Technique for Medical Imaging', IEEE Tr. On Medical Imaging, Vol 22, No.3, pp 323-331, March, 2003.

[2]. Y. Xu, J. B. Weaver, D. M. Healy, J. Lu, "Wavelet transform domain filters: a spatially selective noise filtration technique," *IEEE Trans. Image Proc.*, vol. 3, no. 6, pp. 747–758, Nov. 1994.

[3] M. Venu Gopala Rao, 'Advanced wavelet Techniques for improved Image Reconstruction in Computerized Tomography', Ph.D thesis, Osmania University, Hyderabad, A.P. India, 2011.

[4] H.A. Chipman, E.D. Kolaczyk, and R.E. McCulloch, "Adaptive Bayesian wavelet shrinkage," *J. of the Amer. Statist. Assoc.*, vol.92, pp. 1413–1421, 1997.

[5] F. Abramovich, T. Sapatinas, and B. W. Silverman, "Wavelet thresholding via a Bayesian approach," *J. of the Royal Statist. Society B*, vol. 60, pp. 725–749, 1998.

[6] D. Leporini, J.-C. Pasquet and H. Krim, "Best basis representation with prior statistical models," in *Lecture Notes in Statistics*, P. M¨uller and B. Vidakovic, editors, Springer Verlag 1999, pp. 155–172.

[7] M.S. Crouse, R.D. Nowak, and R.G. Baranuik, "Wavelet-based statistical signal processing using hidden Markov models," *IEEE Trans. Signal Proc.*, vol. 46, no. 4, pp. 886–902, April 1998.

[8] G. Fan and X.-G. Xia, "Image denoising using local contextual hidden Markov model in the wavelet domain," *IEEE Signal Processing Letters*, vol. 8, no. 5, pp. 125–128, May 2001.

[9] M. Malfait and D. Roose, "Wavelet-based image denoising using a Markov random field a priori model," *IEEE Trans. Image Proc.*, vol. 6, no. 4, pp. 549–565, Apr 1997.

[10] A. Piˇzurica, W. Philips, I. Lemahieu, and M. Acheroy, "A joint inter- and intrascale statistical model for Bayesian wavelet based image denoising," *IEEE Trans. Image Proc.*, vol. 11, no. 5, pp. 545–557, May 2002.

[11] M. K. Mih, cak, I. Kozintsev, K. Ramchandran, and P. Moulin, "Low-complexity image denoising based on statistical modeling of wavelet coefficients," *IEEE Signal Proc. Letters*, vol. 6, no. 12, pp. 300–303, Dec 1999.

[12]. S.G. Chang, B. Yu, and M. Vetterli, "Spatially adaptive wavelet thresholding with context modeling for image denoising ," *IEEE Trans. Image Proc.*, vol. 9, no. 9, pp. 1522–1531, Sep 2000.

[13]. Mallat S. and Hwang W. L., "Singularity detection and pro- cessing with wavelets," IEEE Trans. Inform. Theory, vol. 32, pp. 617–643, Mar. 1992.

[14]. T.-C. Hsung, D.P.-K. Lun, and W.-C. Siu, "Denoising by singularity detection," *IEEE Trans. Signal Proc.*, vol. 47, pp. 3139–3144, 1999.

[15]. McVeigh E.R., Henkelman R.M., and M.J. Bronskill, "Noise and filtration in magnetic resonance imaging," Med. Phys., vol. 3, pp.604–618, 1985

[16]. Pizurica A., "Image denoising using wavelets and spatial context modeling," PhD thesis, Ghent University, Ghent, Belgium, 2002.