

systems,”presented at the 20th Int. Parallel Distrib. Process. Symp. (IPDPS),Rhodes Island, Greece, 2006.

- [15] S. Kumar, S. Dharmapurikar, F. Yu, P. Crowley, and J. Turner, “Al-gorithms to accelerate multiple regular expressions matching for deep packet inspection,” in Proc. ACM SIGCOMM Comput. Commun. Rev.,2006, pp. 339–350.
- [16] C. H. Lin, C. T. Huang, C. P. Jiang, and S. C. Chang, “Optimization of pattern matching circuits for regular expression on FPGA,”IEEE Trans. Very Large Scale Integr. (VLSI) Syst., vol. 15, no. 12, pp.1303–1310, Dec. 2007.
- [17] H. Lu, K. Zheng, B. Liu, X. Zhang, and Y. Liu, “A memory-efficient parallel string matching architecture for high-speed intrusion detection,” IEEE J. Sel. Areas Commun., vol. 24, no. 10, pp. 1793–1804,Oct. 2006.
- [18] J. V. Lunteren, “High-performance pattern-matching for intrusion detection,” in Proc. IEEE INFOCOM, 2006, pp. 1–13.
- [19] J. W. Lockwood, J. Moscola, M. Kulig, D. Reddick, and T. Brooks,Internet worm and virus protection in dynamically reconfigurable hardware,” presented at the Military Aerosp. Program. Logic Device(MAPLD), Washington, DC, Sep. 2003, E10.
- [20] D. Maier, “The complexity of some problems on subsequences and supersequences,” J. ACM, vol. 25, no. 2, pp. 322–336, 1978.
- [21] J. Moscola, J. Lockwood, R. P. Loui, and M. Pachos, “Implementation of a content-scanning module for an internet firewall,” in Proc. 11th Ann. IEEE Symp. Field-Program. Custom Comput. Mach. (FCCM),2003, pp. 31–38.
- [22] P. Piyachon and Y. Luo, “Compact state machines for high performance pattern matching,” in Proc. 41nd IEEE/ACM Des. Autom. Conf.,2007, pp. 493–496.
- [23] M. Roesch, “Snort- lightweight intrusion detection for networks,” in Proc. 15th Syst. Administration Conf. (LISA), 1999, pp. 229–238.
- [24] I. Sourdis and D. Pnevmatikatos, “Pre-decoded CAMs for efficient and high-speed NIDS pattern matching,” in Proc. 12th Annu. IEEE Symp.Field Program. Custom Comput. Mach. (FCCM), 2004, pp. 258–267.