











[2] L. Xu and A. Yuille. Robust principal component analysis by self-organizing rules based on

[3] R. Rojas(1996), Neural Network An Introductions, Springer-Verlag, Berlin,“IEEETransactions of Neural Networks. vol.8, no.1,pp158-200

[4] „Pattern Recognition and Neural Networks“by B.D. Ripley Cambridge University Press, 1996, ISBN 0-521-46086-7

[5] Henry A. Rowley, ShumeetBaluja, and Takeo Kanade Neural Network-Based Face Detection(PAMI, January 1998) pp 4-20

[6] SantajiGhorpade, JayshreeGhorpade, Shamlamantri, DhanajiGhorpade “NEURAL NETWORKS FOR FACE RECOGNITION USING SOM”,Dept. of Information Technology Engineering, Pune University, India, IJCST Vol. 1, Issue 2, December 2010

statistical physics approach. IEEE Trans. Neural Networks, 6(1):131–143, 1995.

[7] Kailash J. Karande Sanjay N. Talbar “Independent Component Analysis of Edge Information for Face Recognition” International Journal of Image Processing Volume (3) :Issue (3) pp: 120 -131.

[8] M. Tipping and C. Bishop. Probabilistic principal component analysis.Journal of the Royal Statistical Society B, 61,611-622, 1999.

[9] M. Turk and A. Pentland. Eigenfaces for recognition.J.Cognitive Neuroscience, 3(1):71–86, 1991.

[10] L. Xu and A. Yuille. Robust principal component analysis by self-organizing rules based on statistical physics approach. IEEE Trans. Neural Networks, 6(1):131–143, 1995.