

which multiple clients requests of same type are processed at a single point of time. ERR algorithm reduced the average waiting time, turn around time, flow time of the processes and also increased the performance of a web container by processing the multiple clients requests. It is also proven that ERR gives much better results than existing algorithms like FCFS, SJF, Round Robin, Priority and LWF broadcast algorithm

8. References

Abraham Silberschatz , Peter Baer Galvin, Greg Gagne, “Operating System Concepts”, Sixth Edition.

Andrew S. Tanenbaum, Albert S. Woodhill, “Operating Systems Design and Implementation”, Second Edition.

Lingyun Yang Jennifer M. Schopf and Ian Foster, “Conservative Scheduling : Using predictive variance to improve scheduling decisions in Dynamic Environments”, Super Computing 2003, November 15-21, Pheonix, AZ, USA.

Mohammed A.F. Al-Husainy, 2007. Best-Job-First CPU Scheduling Algorithm. Information Technology Journal, 6: 288-293.

Sindhu M , Rajkamal R, Vigneshwaran P, “An Optimum Multilevel CPU Scheduling Algorithm”, ACE, pp.90-94, 2010 IEEE International Conference on Advances in Computer Engineering, 2010.

P. Balakrishna Prasad “Operating Systems” second edition.

I. A. Dhotre “Operating Systems”

Milan Milenkovic, “Operating systems Concepts and Design”, McGRAW-HILL, Computer Science Series, second edition.

H. M. Dietel, “Operating Systems”, Pearson Education, Second Edition.

<http://en.wikipedia.org/wiki/Scheduling>

M Gary Nutt, “Operating Systems –A Modern Perspective:., Second Edition, Pearson Education, 2000.

J. Wong. Broadcast delivery. Proceedings of the IEEE, 76(12):1566–1577, 1988.

S. Acharya, M. Franklin, and S. Zdonik. Dissemination-based data delivery using broadcast disks. Personal Communications, IEEE [see also IEEE Wireless Communications], 2(6):50–60, Dec 1995.

[13]. S. Acharya, M. Franklin, and S. Zdonik. Dissemination-based data delivery using broadcast disks. Personal

Communications, IEEE [see also IEEE Wireless Communications], 2(6):50–60, Dec 1995.

[14]. Demet Aksoy and Michael J. Franklin. ”rxw: A scheduling approach for large-scale on-demand data broadcast. IEEE/ACM Trans. Netw., 7(6):846–860, 1999

[15]. Nikhil Bansal, Don Coppersmith, and Maxim Sviridenko. Improved approximation algorithms for broadcast

cheduling. In SODA ’06: Proceedings of the seventeenth annual ACM-SIAM symposium on Discrete

algorithm, pages 344–353, 2006.

[16]. Jeff Edmonds and Kirk Pruhs. A maiden analysis of longest wait first. ACM Trans. Algorithms, 1(1):14–32,

2005.

[17]. Jeff Edmonds and Kirk Pruhs. Multicast pull scheduling: When fairness is fine. Algorithmica, 36(3):315–330,

2003.

[18]. Jeff Edmonds and Kirk Pruhs. Scalably scheduling processes with arbitrary speedup curves. In SODA ’09:

Proceedings of the twentieth annual ACM-SIAM symposium on Discrete algorithm, 2009.

[19]. Alexander Hall and Hanjo T’aubig. Comparing push- and pull-based broadcasting. or: Would “microsoft

watches” profit from a transmitter?. In Proceedings of the 2nd International Workshop on Experimental and

Efficient Algorithms (WEA 03), pages 148–164, 2003.

[20]. Bala Kalyanasundaram, Kirk Pruhs, and Mahendran Velauthapillai. Scheduling broadcasts in wireless

networks. Journal of Scheduling, 4(6):339–354, 2000.

[21]. Efficient Round Robin CPU Scheduling Algorithm International Journal of Engineering Research and Development Volume 4, Issue 9 (November 2012), PP. 36-42