

- [6] Fisher, J. &Henzinger, T. A, Executable cell biology, *Nature Biotechnology* 25(11), 1239-1249, (2007).
- [7] Gelfond, M. &Lifschitz, V, The stable model semantics for logic programming, *ICLP/SLP*, pp. 1070-1080, (1988).
- [8] W. Łukaszewicz, Considerations on default logic: an alternative approach, *Computational Intelligence*(4), 1–16, 1988.
- [9] J. Delgrande, M. Gharib, R. Mercer, V. Risch, and T. Schaub. Łukaszewicz-style answer set programming: a preliminary report, *Proceedings of the Second International Workshop on Answer Set Programming (ASP'03)*. M. De Vos and A. Proveti, eds, *CEUR Workshop Proceedings*, Aachen, Germany, 2003.
- [10] P.Matteo, H.David and J.Jason,Protein interaction networks,Expert Review of Proteomics ,(1), No. 2, Pages 239-249,(2004).
- [11] ChittaBaral, Knowledge representation, reasoning and declarative problem solving,Cambridge University Pres
- [12] M. Gharib. *Incremental Answer Set Programming*. Dissertation, Institute of Informatics, University of Potsdam, Potsdam, Germany, 2008.
- [13] M. Gharib, R. Mercer, and T. Schaub. Incremental answer set programming: a preliminary report. In *Proceedings of the Fourth International Workshop on Answer Set Programming (ASP'07)*, S. Costantini and R.Watson, eds, pp. 149–160. 2007.