









- Mobile Computing and Networking, New York, NY, USA, 1999, pp. 263-270.
- [2] A. C. H. B. Wendi RabinerHeinzelman, "Energy-efficient communication protocol for wireless microsensor networks," in Proc. 33rd Annual Hawaii International Conference on System Sciences, 2000.
- [3] B. A. Sabarish, M. S. M. Guru, M. A. Dhivya, K. S. Naveen, and S. Vaishnavi, "A survey on clustering protocols in wireless sensor networks," International Journal of Advances in Computing and Information technology, vol. 1, no. 2, 2012.
- [4] N. Javaid, A. Rahim, U. Nazir, A. Bibi, Z. A. Khan, and M. S. Aslam, "Survey of extended leach-based clustering routing protocols for wireless sensor networks," in Proc. IEEE 14th International Conference on High Performance Computing and Communication & IEEE 9th International Conference on Embedded Software and Systems, 2012, pp. 1232-1238.
- [5] L. Li, S. Jin, H. F. Liu, "Cluster number variability problem in LEACH," in Ubiquitous Intelligence and Computing, Springer Berlin Heidelberg, 2006.
- [6] W. Heinzelman, A. Chandrakasan, and H. Balakrishnan, "An application-specific protocol architecture for wireless microsensor networks," IEEE Transactions on Wireless Communications, vol. 1, no. 4, pp. 660-670, 2002.